

7.15 Regional Commercial (C3)

7.15.1 Intent

The purpose of the Regional Commercial zone is to provide mixed use commercial development, including a range of retail, entertainment, personal and professional services within Shopping Centre environments consisting of multiple businesses or large format retail development.

7.15.2 Principal Uses

The following principal uses are permitted in the zoning district designated C3:

- a. Animal Services;
- b. Artisan Studio;
- c. Assembly Place;
- d. Brewing & Distilling, Craft; *
- e. Building Supply Centre;
- f. Business Support Services;
- g. Commercial Recreation Services;
- h. Entertainment Facility;
- Filling Station;
- j. Food Primary Establishment;
- k. Gallery and Museum;
- I. Garden Centre, Indoor;
- m. Hotel;
- n. Liquor Primary Establishment;
- o. Liquor Store;
- p. Motel;
- q. Participant Recreation Services, Indoor;
- r. Personal and Professional Services;
- s. Public Use;
- t. Retail Cannabis Sales;
- u. Retail Store, Convenience;
- v. Retail Store, General.
- w. School, Private;
- x. Veterinary Services.



7.15.3 Discretionary Uses

Subject to the regulations outlined in Section 4.5, the Development Approving Officer may approve any of the following uses, with or without conditions:

- a. Drive-through Business;
- b. Funeral Services;
- c. Gaming Facility;
- d. Garden Centre, Outdoor;
- e. Parking Lot, Commercial;
- f. Second-Hand Store;
- g. Vehicle Services;
- h. Winery.

7.15.4 Secondary Uses

The following Secondary Uses are permitted in the zoning district designated C3:

- a. Accessory Building;
- b. Administrative Office;
- c. Dwelling, Multiple Unit Apartment;
- d. Dwelling, Multiple Unit Townhome;
- e. Two Dwelling Units within a Principal Building; *
- f. One Dwelling Unit in a Principal Building; *
- g. Mobile Retail Vendor;
- h. Produce Stand;
- i. Security / Operator Suite;
- j. Short-Term Rental.

7.15.5 Subdivision Regulations

a. Parcels to be created in the C3 zone must conform to Table 7.15.5:

Table 7.15.5 Subdivision Regulations								
Use	Parcel Type	Minimum Parcel Area	Minimum Parcel Width	Minimum Parcel Depth				
All permitted uses	All types	750 m ²	25 metres	30 metres				



7.15.6 Site Development Regulations

a. Site development in the C3 zone must conform to Table 7.15.6:

Table 7.15.6 Site Development Regulations									
Use	Parcel Type	Minimum Front Setback	Minimum Interior Side Setback	Minimum Exterior Side Setback	Minimum Rear Setback	Maximum Height	Maximum Parcel Coverage		
All principal and discretionary uses	All types	0 metres	1.2 metres	0 metres	3 metres	Lesser of 22 metres or 5 storeys	70%, except as outlined in		
Accessory Building	All types	Front Building Line	1.2 metres	1.2 metres	1.2 metres	Lesser of 5 metres or 1.5 storeys	7.15.6(b)		

- b. Notwithstanding the regulations in Table 7.15.6, Parcel Coverage may be increased to a maximum of 85% with use of permeable surface materials for driveways and/or pathways on at least 15% of the total Parcel Area.
- c. Private Open Space must be provided for each Dwelling Unit based on the following:
 - i. 10 m² for each three bedroom unit; and
 - ii. 7.5 m² for each two bedroom unit; and
 - iii. 5 m² for each one bedroom unit or bachelor unit.
- d. Minimum separation between Accessory Buildings and other Structures is 1.5 metres, except Shipping Containers which have a minimum separation of 3 metres from combustible Structures.
- e. Notwithstanding the regulations in Table 7.15.6, site development and placement of objects must conform with Transport Canada regulations, including Obstacle Limitation Surfaces for an AGNII Non-Instrument aerodrome. *

7.15.7 Conditions of Use

- a. Residential Dwelling Units must be located above or below the main floor or behind the commercial use.
- b. Single Detached Dwellings and Semi-Detached Dwellings may only be located as part of mixed use development, in conjunction with a commercial Use;
- c. Residential Dwelling Units must have a separate entrance from that of any commercial use.

7.15.8 Special Regulations

- Notwithstanding Section 7.15.4, except for Security / Operator Suite, Dwelling Units are not permitted Uses on Lot A Plan KAP78643 Section 23 Township 91 Kamloops Division Yale District, PID: 026-363-721. *
- b. Notwithstanding Section 7.15.4, except for Security / Operator Suite, Dwelling Units are not permitted Uses on Lot B Plan KAP78643 Section 23 Township 91 Kamloops Division Yale District, PID: 026-363-739. *



- c. Notwithstanding Section 7.15.4, except for Security / Operator Suite, Dwelling Units are not permitted Uses on Lot C Plan KAP78643 Section 23 Township 91 Kamloops Division Yale District, PID: 026-363-747. *
- d. Notwithstanding Section 7.15.4, except for Security / Operator Suite, Dwelling Units are not permitted Uses on Lot D Plan KAP78643 Section 23 Township 91 Kamloops Division Yale District, PID: 026-363-755. *
- e. Notwithstanding Section 7.15.4, except for Security / Operator Suite, Dwelling Units are not permitted Uses on Lot E Plan KAP78643 Section 23 Township 91 Kamloops Division Yale District, PID: 026-363-763. *
- f. The minimum Height for Principal Buildings for the following properties is 2 storeys: *
 - i. Lot 1, Plan KAP58641, District Lot 121, Section 22, Township 91, Kamloops Div of Yale Land District (PID: 023-698-438);
 - ii. Lot 1, Plan KAP74213, Section 23, Township 91, Kamloops Div of Yale Land District (PID: 025-766-678);
 - iii. Lot 2, Plan KAP 74213, Section 23, Township 91, Kamloops Div of Yale Land District (PID: 025-766-686);
 - iv. Lot 5, Plan KAP 74213, Section 23, Township 91, Kamloops Div of Yale Land District (PID: 025-766-716);
 - v. Lot 6, Plan KAP 74213, Section 23, Township 91, Kamloops Div of Yale Land District (PID: 025-766-724); and
 - vi. Lot 8, Plan KAP 74213, Section 23, Township 91, Kamloops Div of Yale Land District (PID: 025-766-741).

7.15.9 Other Regulations

- a. All Structures and Uses must comply with Part 4;
- b. Off-street parking and loading must comply with Part 5;
- c. Landscaping and Screening must comply with Part 6.



7.11 High Density Residential (R8)

7.11.1 Intent

The High Density Residential zone is oriented towards higher-intensity, pedestrianoriented residential developments providing apartment buildings, row houses, back-toback townhomes or stacked townhomes on serviced Parcels.

7.11.2 Principal Uses

The following Principal Uses are permitted in the zoning district designated R8:

- a. Dwelling, Multiple Unit Apartment;
- b. Dwelling, Multiple Unit Townhome.

7.11.3 Discretionary Uses

Subject to the regulations outlined in Section 4.5, the Development Approving Officer may approve any of the following uses, with or without conditions:

a. Short-Term Rental.

7.11.4 Secondary Uses

The following Secondary Uses are permitted in the zoning district designated R8:

- a. Accessory Building;
- b. Daycare Centre, Major;
- c. Daycare Centre, Minor;
- d. Home-based Business.
- e. Secondary Suite in a Multiple Unit Townhome.



7.11.5 Subdivision Regulations

a. Parcels to be created in the R8 zone must conform to Table 7.11.5:

Table 7.11.5 Subdivision Regulations								
Use	Parcel Type	Minimum Parcel Area	Minimum Parcel Width	Minimum Parcel Depth				
	Lane Access	360 m ²	18 metres	20 metres				
	Front Access	360 m ²	18 metres	20 metres				
	Corner	400 m ²	20 metres	20 metres				
Dwelling, Multiple Unit	Lane Access Corner	400 m ²	20 metres	20 metres				
Apartment	Panhandle	360 m ² , not including the panhandle access	18 metres, excluding the panhandle access	20 metres, excluding the panhandle access				
	Pie	360 m²	6 metre frontage and average width of 18 metres	20 metres				
	Lane Access	360 m ²	18 metres	20 metres				
	Front Access	360 m ²	18 metres	20 metres				
	Corner	400 m ²	20 metres	20 metres				
Dwelling, Multiple Unit Townhome	Lane Access Corner	400 m ²	20 metres	20 metres				
	Panhandle	360 m ² , not including the panhandle access	18 metres, excluding the panhandle access	20 metres, excluding the panhandle access				
	Pie	360 m ²	6 metre frontage and average width of 18 metres	20 metres				

- b. Notwithstanding the regulations in Table 7.11.5, in the case of a Multiple Unit townhome subdivided for the purpose of creating adjoining Dwelling Units for individual ownership, the new Parcels so created must not have a Parcel Area less than 78 m².
- c. Notwithstanding the regulations in Table 7.11.5, in the case of a Multiple Unit townhome subdivided for the purpose of creating adjoining Dwelling Units for individual ownership, the new Parcels so created must not be less than 3.9 metres in width.



7.11.6 Site Development Regulations *

a. Site development in the R8 zone must conform to Table 7.11.6:

Table 7.11.6 Site Development Regulations								
Use	Parcel Type	Maximum Density (units per hectare of usable site area)	Minimum Front Setback	Minimum Interior Side Setback	Minimum Exterior Side Setback	Minimum Rear Setback	Maximum Height See Section 7.11.6(b)	Maximum Parcel Coverage
Dwelling, Multiple Unit Apartment	Lane Access		0 metres	1.2 metres	N/A	0.9 metres	Lesser of 22 metres or 5 storeys	
	Front Access		0 metres	1.2 metres	N/A	3 metres	Lesser of 22 metres or 5 storeys	
	Corner	225, except as outlined in 7.11.6(d)	0 metres	1.2 metres	2.8 metres	3 metres	Lesser of 22 metres or 5 storeys	
	Lane Access Corner		0 metres	1.2 metres	2.8 metres	0.9 metres	Lesser of 22 metres or 5 storeys	
	Panhandle		3 metres, not including panhandle access	1.2 metres, excluding panhandle access	2.8 metres, excluding panhandle access	3 metres	Lesser of 22 metres or 5 storeys	
	Pie		0 metres	1.2 metres	2.8 metres	3 metres	Lesser of 22 metres or 5 storeys	900/
Dwelling, Multiple Unit Townhome	Lane Access	225, except as outlined in 7.11.6(d)	3 metres	1.2 metres	N/A	5 metres	Lesser of 18 metres or 4 storeys	80%, except as outlined in
	Front Access		5 metres	1.2 metres	N/A	3 metres	Lesser of 18 metres or 4 storeys	7.11.6(e)
	Corner		5 metres	1.2 metres	2.8 metres	3 metres	Lesser of 18 metres or 4 storeys	
	Lane Access Corner		3 metres	1.2 metres	2.8 metres	5 metres	Lesser of 18 metres or 4 storeys	
	Panhandle		3 metres, not including panhandle access	1.2 metres, excluding panhandle access	2.8 metres, excluding panhandle access	3 metres	Lesser of 18 metres or 4 storeys	
	Pie		<u> </u>	5 metres	1.2 metres	2.8 metres	3 metres	Lesser of 18 metres or 4 storeys
Accessory Building	all Parcel types	N/A	Front Building Line	1.2 metres	1.2 metres	1.2 metres	Lesser of 5 metres or 1.5 storeys	

- Multiple Unit Apartment Dwelling and Multiple Unit Townhome Dwelling must be a minimum of 2 storeys in height.
- c. Notwithstanding the regulations in Table 7.10.6, for Multiple Unit Townhome Dwelling, if a Parcel has multiple Accesses, the corresponding Front, Exterior Side, and/or Rear Setback for a Principal Building is 5 metres.
- d. Notwithstanding the regulations in Table 7.11.6, if 20% of the total Dwelling Units are affordable housing, the maximum density may be increased, as per Table 4.26.



- e. Notwithstanding the regulations in Table 7.11.6, Parcel Coverage may be increased to a maximum of 95% with use of permeable surface materials for driveways and/or pathways on at least 15% of the total Parcel Area.
- f. Private Open Space must be provided for each Multiple Unit Apartment Dwelling Unit and Multiple Unit Townhome Dwelling Unit based on the following:
 - i. 10 m2 for each three or more bedroom unit; and
 - ii. 7.5 m2 for each two bedroom unit; and
 - iii. 5 m2 for each one bedroom unit or bachelor unit.
- g. Open Space in the minimum amount of 5% of the Parcel Area must be provided for purpose-built or Strata Multiple Unit Apartment or Multiple Unit Townhome Dwelling developments.
- h. Notwithstanding the regulations in Table 7.11.6, the Interior Side Setback for Multiple Unit Townhome Dwellings is 0 metres where adjoining units share a Parcel Line.
- i. Notwithstanding the regulations in Table 7.11.6, the Interior Side Setback for Multiple Unit Townhome Dwelling Garages with Access off a Lane is 0 metres when adjoining Garages share a Parcel Line.
- j. For building strata developments, the minimum Setback from the inner curb of the internal road is 1.5 metres to the building face and 4.8 metres to the front of a Garage.
- k. Minimum separation between buildings is as following:
 - i. 3 metres between Principal Buildings;
 - ii. 3 metres between Principal Buildings and Detached Secondary Dwellings; and
 - iii. 1.5 metres between Accessory Buildings and other Structures.

7.11.7 Conditions of Use

- a. Each Multiple Unit Townhome Dwelling building must contain a minimum of three and a maximum of eight Dwelling Units.
- b. For Multiple Unit Townhome Dwellings constructed on a Parcel Line, the boundary between the Parcels must project in a straight line throughout the length of the Dwellings.
- c. For Multiple Unit Townhome Dwellings, Corner Parcel Dwelling Units must face the Flanking Street.

7.11.8 Other Regulations

- a. All Structures and Uses must comply with Part 4;
- b. Off-street parking and loading must comply with Part 5;
- c. Landscaping and Screening must comply with Part 6.

7.12 Residential Care Housing (RC1)

7.12.1 Intent

The purpose of the Residential Care Housing zone is to provide for the use and development of on-site care housing in proper relation to surrounding areas and neighbourhoods.

7.12.2 Principal Uses

The following Principal Uses are permitted in the zoning district designated RC1:

- a. Community Care Facility, Major;
- b. Community Care Facility, Minor;
- c. Community Care Facility, Specialized.

7.12.3 Secondary Uses

The following Secondary Uses are permitted in the zoning district designated RC1:

a. Accessory Building;

7.12.4 Subdivision Regulations

a. Parcels to be created in the RC1 zone must conform to Table 7.12.4:

Table 7.12.4 Subdivision Regulations								
Use	Parcel Type	Minimum Parcel Area	Minimum Parcel Width	Minimum Parcel Depth				
All permitted uses	All types	600 m ²	20 metres	30 metres				

7.12.5 Site Development Regulations

a. Site development in the RC1 zone must conform to Table 7.12.5:

Table 7.12.5 Site Development Regulations								
Use	Parcel Type	Minimum Front Setback	Minimum Interior Side Setback	Minimum Exterior Side Setback	Minimum Rear Setback	Maximum Height	Maximum Parcel Coverage	
all Permitted Uses, except Accessory Building	All types	6 metres	3 metres	3 metres	6 metres	Lesser of 14 metres or 3 storeys	60%, except as outlined in	
Accessory Building	All types	Front Building Line	1.2 metres	1.2 metres	1.2 metres	Lesser of 5 metres or 1.5 storeys	7.12.5(b)	

- b. Notwithstanding the regulations in Table 7.12.5, Parcel Coverage may be increased to a maximum of 75% with use of permeable surface materials for driveways and/or pathways on at least 15% of the total Parcel Area.
- c. Private Open Space must be provided for each Dwelling Unit based on the following:
 - i. 10 m² for each three or more bedroom unit; and
 - ii. 7.5 m² for each two bedroom unit; and



- iii. 5 m² for each one bedroom unit or bachelor unit
- d. Open Space in the amount of 5% of the Parcel Area must be provided.
- e. Minimum separation between Accessory Buildings and other Structures is 1.5 metres.

7.12.6 Conditions of Use

a. All Community Care Facilities must meet the definitions and requirements of the Community Care and Assisted Living Act.

7.12.7 Other Regulations

- a. All Structures and Uses must comply with Part 4;
- b. Off-street parking and loading must comply with Part 5;
- c. Landscaping and Screening must comply with Part 6.

